

Treat Scars and Keloids

Formula 27 Scar Gel From BioMed

Real Patient Results





B.N. - Grand Rapids, MI





Before

After 2 Months

C.K. - Southfield, MI

- Appropriate for new or old scars
- Promotes a soothing and nurturing environment
- **W** Rich in skin-friendly fatty acids and lipids
- **Provides long-lasting moisturization**, protecting the skin's barrier and reducing water loss
- Formulated without gluten, casein, dye and parabens, among other allergens



Before



N.J. - Dearborn, MI



Before



After 3 Months

T.B. - Farmington, MI



Before



S.B. - Detroit, MI





Formula 27 Scar Gel ^{30gm} \$85.⁰⁰_____



Easy-to-Use Apply 1-2gm topically to affected area daily.

Formula 27 Scar Gel contains 3 powerful ingredients that work together.

Active Ingredients	Mechanism of Action/Purpose
1. Tamoxifen	Tamoxifen works by reducing the production of collagen by decreasing transforming growth factor (TGF- β 2), and can prevent fibroblast formation in wound healing.
2. Lipoic Acid	Lipoid Acid drastically lowers the scarring area after a thermal wound in a dose dependent manner. Lipoic Acid is recommended for treat- ing various injury scars especially post-burn hypertrophic scar along with standard anti-scarring agents.
3. PracaSil Gel	PracaSil-Plus is a topical anhydrous silicone base that is used in scar therapy. It has anti-inflammatory, antioxidant, antibacterial, and anti- fungal properties which help smooth and soften the scarred area.

Get Started Today!

- Simply print out the attached Rx order form and take it to your doctor.
- Doctor to complete and sign Rx.
- Doctor to fax Rx to (877) 791-7779.
- We will ship Formula 27 Scar Gel to your home.

Get Started Today!

- Simply print out the attached Rx order form and take it to your doctor.
- Doctor to complete and sign Rx.
- Doctor to fax Rx to (877) 791-7779.
- We will ship Formula 27 Scar Gel to your home.

Bio [V	1ed _					1	PH: (855) 246-633 Please Fax †
PECIALTY PH	IARMACY [®]	Hair Loss Treatment Prescription Order Form			Free	Delivery!	(877) 791-7779
	f		Prescription O				
Patient In	formation:		Patient Demogra	aphic Sheet &	Prescription Ins	ate of Birth:	if available.
PRIMARY PHON	E #: CELL HOM	E WORK SECC	NDARY PHONE #:]CELL □HOME □	WORK LA	AST 4 DIGITS OF S	SN:
ADDRESS:	CITY, STATE, ZIP:				ALLERGIES: (If no allerg	ies please check t	he NKDA box) 🗌 NK
Rx Medic	ation Order:	Pharmacist Please	Compound:	Prescriber:	ou may change the d any additional medica	irections, or delet tions for all form	e / substitute / add Ilations.
Rx	Form	ula 27 Scar (Gel				
	Tamoxifen c		QTY:	30gm/\$85	☐ 60gm/\$	5149	
	Lipoic Acid in PracaSil™	5% '-Plus scar gel	SIG: App	ly 1-2gm top	oically to scar o	daily.	
	ADD: 🗌 Li	docaine 5%			Refi	lls:	_
		ula 27-S Sca	r Gel				
	Tamoxifen c					160	
	Lipoic Acid Betamethas	5% one val 0.1%	SIG: App	-	60gm/\$ bically to scar o		
		'-Plus scar gel					
	ADD: 🗌 Li	docaine 5%			Refi	lls:	
Notes:	dias an Duas C		-1	/			
For stu	dies on PracaS	il™-Plus scar g	el visit https:/	/elifemedica	alplus.com/cas	sestudies	
	r Information: R'S SIGNATURE:			Contact In ADDRESS:	formation:		
PRESCRIBER N	IAME (PRINT):			CITY:		STATE:	ZIP:
NPI# or DEA#	CTP# for CNPs only):	DA	ATE:	PHONE #:		FAX #:	
				1			

Attention Ohio Prescribers: This order form cannot be used to issue a prescription order for any Ohio resident. In lieu, you may call in a prescription by phone or submit your own form via fax.